

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

Claim 1. (Currently amended) A bone repair putty material, comprising:

a porous, resorbable particulate derived of anorganic bone mineral or natural bone-derived material or synthetic hydroxyapatite in a concentration of at least about 50 weight percent of said material; and

a resorbable carrier gel component for suspending said particulate, forming a putty-like formulation, for placing in a bony defect, said gel component having a sufficiently high molecular weight and concentration in the putty such that bone repair is facilitated while migration and expansion of said particulate is minimized.

Claim 2. (Original) The bone repair material of claim 1 wherein said resorbable particulate is bovine-derived having a particle size range of 250 to 1000 μm .

Claim 3. (Original) The bone repair material of claim 1 wherein said resorbable particulate is a porous hydroxyapatite derived from lime-containing algae, having a particle size range of 300-1000 μm .

Claim 4. (Original) The bone repair material of claim 1, wherein said carrier gel component comprises a polysaccharide.

Claim 5. (Previously presented) The bone repair material of claim 4, wherein said carrier gel component is hyaluronic acid or its derivatives, or hydroxypropyl cellulose or mixtures thereof.

Claim 6. (Original) The bone repair material of claim 5, wherein said carrier gel component is hyaluronic acid or its derivatives having a molecular weight of $0.7\text{-}2.0 \times 10^6$ daltons and a final concentration of 45-64 mg/cc in the putty.

Claim 7. (Previously presented) The bone repair material of claim 1, further comprising at least one P-15 synthetic biomimetic, polypeptide sequence of Type I collagen bound to said particulate.

Claim 8. (Currently amended) A bone repair putty material for dental bone repair procedures, comprising:

a porous, synthetic, resorbable, bone-like hydroxyapatite or anorganic bone derived particulate, in an amount of at least about 50 weight percent of said material; and

a hyaluronic acid gel in an amount of about 25-70 weight percent of said material, wherein said material is a moldable, cohesive putty for application to bony defects.

Claim 9. (Previously presented) The bone repair material of claim 8, wherein said particulate has a bulk density of 1.1 to 1.3 g/cc and the putty composition comprises about 50-60 weight percent particulate and about 40-50 weight percent hyaluronic acid gel.

Claim 10. (Previously presented) The bone repair material of claim 8, wherein said bone repair material comprises about 55 weight percent particulate and about 45 weight percent hyaluronic acid gel.

Claim 11. (Previously presented) The bone repair material of claim 8, wherein said particulate has a bulk density of 0.45 to 0.65 g/cc and the putty composition comprises about 55 weight percent particulate and about 45 weight percent hyaluronic acid.

Claim 12. (Previously presented) The bone repair material of claim 4, wherein said carrier is a hydroxylpropyl cellulose or methyl cellulose gel forming a moldable, cohesive putty.

Claim 13. (Previously presented) The bone repair material of claim 8 further comprising at least one of a P-15 polypeptide sequence of collagen bound to xenogeneic bone mineral particulate of about 200-500 mm in diameter, suspended in said gel carrier, said material having a putty-like consistency.

Claim 14. (Previously presented) The bone repair material of claim 3 further comprising at least one of a P-15 polypeptide sequence of collagen bound to porous hydroxyapatite derived from lime containing algae of about 300-1000 μm in diameter suspended in hydroxylpropyl cellulose or hyaluronic gel carrier, said material having a putty-like consistency.

Claims 15-18 (Canceled).

Claim 19. (Previously presented) The bone repair material of claim 7, wherein the concentration of P-15 synthetic biomimetic, polypeptide sequence of Type I collagen in the putty is at least about 800 mg/cc.

/

//

///